

COMMERCIAL SERIES	LIQUID COOLED	THREE-PHASE				
	MODEL	QT025-3P	QT030-3P	QT045-3P	QT060	
	RATED POWER kW NG/LP	24/25	29/30	45/45	60/60	
	ENGINE/ALTERNATOR RPM'S	3600/3600	3600/3600	3600/3600	3600/3600	
	ENGINE SIZE	1.6L	1.6L	2.4L	2.4L	
	ENCLOSURE	STEEL	STEEL	STEEL	STEEL / ALUM	
	120/208 3Ø AMP OUTPUT NG	83.3	100.7	121	208	
	120/208 3Ø AMP OUTPUT LP	86.8	104.2	125		
	120/208 3Ø BREAKER AMPS	100	125	150	250	
	120/240 3Ø AMP OUTPUT NG	72.2	87.3	105	180	
	120/240 3Ø AMP OUTPUT LP	75.2	90.3	108		
	120/240 3Ø BREAKER AMPS	90	100	125	200	
	277/480 3Ø AMP OUTPUT NG			52	90	
	277/480 3Ø AMP OUTPUT LP			54		
	277/480 3Ø BREAKER AMPS			60	100	
	COST	\$8,390 SCAQMD	\$9,460 SCAQMD	\$12,370 QT045C (SCAQMD) \$14,040	\$15,720 / \$16,690 NOT SOLD IN CA/MA	
	DIMENSIONS & WEIGHT					
	LIQUID COOLED	SINGLE & THREE-PHASE				
	MODEL	QT070X	QT080	QT100	QT130	QT150
	RATED POWER kW NG/LP	68/70	78/80	97/100	130	150
ENGINE/ALTERNATOR RPM'S	1800/1800	3600/3600	2300/1800	3000/1800	3600/3600	
ENGINE SIZE	6.8L	4.6L	6.8L	6.8L	6.8L	
ENCLOSURE	ALUM	ALUM	ALUM	ALUM	ALUM	
1Ø AMP OUTPUT NG	283.3	325	408.3	541.6	625	
1Ø AMP OUTPUT LP	291.6	333.3	416.6			
1Ø BREAKER AMPS	300	400	450	600	700	
120/208 3Ø AMP OUTPUT NG	236.2	270.9	340.4	451.5	521	
120/208 3Ø AMP OUTPUT LP	243.1	277.9	347.4			
120/208 3Ø BREAKER AMPS	300	300	400	500	600	
120/240 3Ø AMP OUTPUT NG	204.7	234.8	295	391.3	451.5	
120/240 3Ø AMP OUTPUT LP	210.7	240.8	301			
120/240 3Ø BREAKER AMPS	300	300	350	450	500	
277/480 3Ø AMP OUTPUT NG	102.4	117.4	147.5	195.6	225.7	
277/480 3Ø AMP OUTPUT LP	105.3	120.4	150.5			
277/480 3Ø BREAKER AMPS	125	150	175	225	250	
COST	\$18,220 (SCAQMD) \$19,840	\$17,910 NOT SOLD IN CA/MA	\$24,120 SCAQMD	\$27,280 SCAQMD	\$29,520 SCAQMD	
DIMENSIONS & WEIGHT						



ENTECH ELECTRONICS

GUARDIAN SERIES	AIR COOLED	PRE-PACKAGED WITH AUTOMATIC TRANSFER SWITCH (ATS)						
	MODEL	Core 5837	6237	6437	6240	6242	6243	6244
	RATED POWER KW NG/LP	6/7	7/8	10/11	14/14	16/17	16/17	18/20
	ATS	100 AMP	100 AMP	100 AMP	100 AMP	100 AMP	200 A RTSE	200 A RTSE
	CIRCUITS PROTECTED	8	10	12	14	16	ENT RATED	ENT RATED
	ENCLOSURE	Composite	STEEL	STEEL	STEEL	STEEL	ALUM	ALUM
	AMP OUTPUT 120V NG/LP	TBD	58.3 / 66.6	75 / 83.3	108.3 / 116.6	133.3 / 141.6	133.3 / 141.6	75 / 83.3
	AMP OUTPUT 240V NG/LP	TBD	29.2 / 33.3	37.5 / 41.6	54.2 / 58.3	66.6 / 70.8	66.6 / 70.8	
	BREAKER AMPS	30	35	45	60	65	65	100
	COST	\$1,790	\$2,240	\$2,840	\$3,350	\$3,760	\$4,290	\$4,500
NON-PREPACKAGED TRANSFER SWITCH SOLD SEPARATELY								
MODEL	Eco-5818 LP	6245	5883	6247	6248	6249	6250	
COST	\$3,740	\$2,030	\$2,390	\$2,990	\$3,450	\$3,920	\$4,070	
DIMENSIONS & WEIGHT								
LIQUID COOLED								
MODEL	QT025		QT030		QT045		QT060	
RATED POWER KW NG/LP	25/25		27/30		45/45		60/60	
ENGINE/ALTERNATOR RPM's	3600/3600		3600/3600		3600/3600		3600/3600	
ENGINE SIZE	1.6L		1.6L		2.4L		2.4L	
ENCLOSURE	STEEL		STEEL		STEEL		STEEL / ALUM	
AMP OUTPUT NG	100		120.8		187.5		250	
AMP OUTPUT LP	104.2		125					
BREAKER AMPS	125		150		200		300	
COST	\$8,390 SCAQMD		\$9,460 SCAQMD		\$12,370 (SCAQMD) \$14,040		\$15,720 / \$16,690 NOT SOLD IN CA/MA	
DIMENSIONS & WEIGHT								
LIQUID COOLED SINGLE & THREE-PHASE ALUMINUM ENCLOSURE STANDARD								
MODEL	QT022		QT027		QT036		QT048	
RATED POWER KW NG/LP	22/22		25/27		35/36		46/48	
ENGINE/ALTERNATOR RPM'S	1800/1800		1800/1800		1800/1800		1800/1800	
ENGINE SIZE	2.4L		2.4L		2.4L		4.2L	
1Ø AMP OUTPUT NG	92		104		146		192	
1Ø AMP OUTPUT LP			112		150		200	
1Ø BREAKER AMPS	100		125		175		200	
120/208 3Ø AMP OUTPUT NG	76		87		121		160	
120/208 3Ø AMP OUTPUT LP			94		125		166	
120/208 3Ø BREAKER AMPS	100		100		150		175	
120/240 3Ø AMP OUTPUT NG	76		75		105		138	
120/240 3Ø AMP OUTPUT LP			81		108		144	
120/240 3Ø BREAKER AMPS	100		90		125		150	
277/480 3Ø AMP OUTPUT NG	76		90		52		69	
277/480 3Ø AMP OUTPUT LP					54		72	
277/480 3Ø BREAKER AMPS	100		90		60		80	
COST	\$8,900 SCAQMD		\$10,480 SCAQMD		\$11,550 NOT SOLD IN CA/MA		\$14,700 (SCAQMD) \$16,080	
DIMENSIONS & WEIGHT								

GUARDIAN SERIES

QUIETSOURCE SERIES



GENERAC


800-568-3394

ENTECH ELECTRONICS

GP PORTABLE		1800			3250			5000			5500		
GP SERIES	MODEL	5981	5982	5983	6000	5939	5945	5975	5939	5945	5975		
	RUN/START WATTS	1800 - 2050		3250 - 3750			5000 - 6250			5500 - 6875			
	ENGINE	163cc		206cc			389cc			389cc			
	START METHOD	Manual											
	CSA	\$350		\$430		LPV			\$740			\$740	
	CARB			\$470	\$600			\$790			\$790		
	49 STATE	\$350		\$430			\$680			\$680			
		6500				7500 E			15000 E		17500 E		
	MODEL	5940	5976	5946	5941-E	5943	5978	5734	5735				
	RUN/START WATTS	6500 - 8000				7500 - 10000			15000 - 22500		17500 - 26500		
ENGINE	389cc				410cc			992cc					
START METHOD	Manual			Electric (B)		Electric (B)			Electric (B)				
CSA		\$840					\$1050						
CARB			\$890										
49 STATE	\$790			\$890	\$990			\$2,390		\$2,690			
XG PORTABLE		4000			6500		7000 E			8000 E			
XG SERIES	MODEL	5778	5843	5844	5796	5798	5845	5747	5847	5846			
	RUN/START WATTS	4000 - 5000			6500-8152		7000 - 8750			8000 - 10000			
	ENGINE	220cc			410cc		410cc			410cc			
	START METHOD	Manual			Manual		Electric (B)			Electric (B)			
	CSA		\$890				\$1,310		\$1,410				
	CARB			\$940							\$1,470		
	49 STATE	\$840			\$1,050	\$1,260		\$1,360					
		10000 E		IX PORTABLE			800		1400	1600	2000		
	MODEL	5802		IX SERIES	MODEL	5791 cETL		5842	5792	5793 cETL			
	RUN/START WATTS	10000-12500			RUN/START WATTS	800-850		1400-1450	1600-1650	2000-2200			
ENGINE	530cc		ENGINE		38cc		TBD	99cc	126cc				
START METHOD	Electric (B)		START METHOD		Manual								
CSA			CSA										
CARB			CARB				\$490						
49 STATE	\$2,090		49 STATE		\$310			\$490	\$490	\$580			



(49-State) All States Except California - (CARB) California Air Resources Board - (CARB) California Air Resources Board

RECREATIONAL RV		40G	40LP	45G	55G	55LP	65G	65LP	75G	75LP	85D
QUIETPACT	MODEL	5852	5853	5857	5855	5858	5856	5859	5854	5860	5851
	POWER RATING kW	3.6	3.4	4.5	5.5	5.5	6.5	6.5	7.5	7.5	8.5
	FUEL	GAS	LP	GAS	GAS	LP	GAS	LP	GAS	LP	DIESEL
	COST	\$2,200	\$2,350	\$2,330	\$2,570	\$2,790	\$3,290	\$3,600	\$3,800	\$4,160	\$7,730
RECREATIONAL RV		50LP	50G	 GENERAC 800-568-3394							
PRIMEPACT	MODEL	4164	5754								
	POWER RATING kW	5.0	5.0								
	FUEL	LP	GAS								
	COST	\$2,380	\$2,060								

NEXUS SERIES RTS (A) 120V/240V SINGLE PHASE NEMA 3R							
MODEL	100 AMP	150 AMP	200 AMP	400 AMP	600 AMP	800 AMP	
RTSR (NON) A3	\$340		\$590	\$1,820	\$4,670	\$5,270	
RTSY (ENT) A3	\$490	\$690	\$690	\$2,690			
RTS SERIES - NON-ENTRANCE RATED 100 - 400 AMP							
100 AMP	200 AMP		400 AMP		600 A	800 A	
RTSN (G) 120/208V THREE PHASE NON ENTRANCE RATED							
\$740	\$1,130		\$1,960		\$4,850	\$5,350	
RTSN (J) 120/240V THREE PHASE NON ENTRANCE RATED							
\$740	\$1,130		\$1,970		\$4,850	\$5,350	
RTSN (K) 277/480V THREE PHASE NON ENTRANCE RATED							
\$830	\$1,220		\$2,210		\$4,990	\$5,440	
100 AMP RTS (A) LOAD CENTERS SINGLE-PHASE NEMA 1 STEEL							
Model	RTG10EZA1	RTG12EZA1	RTG14EZA1	RTG16EZA1			
Type	10	12	14	16			
Cost	\$410	\$410	\$440	\$490			
GENREADY HYBRID GENERAC / SIEMANS ATS PANELS							
Model	5447 EZ	5448	5449	5454			
Type	Transfer Operator	Basic (NEMA 1)	Advanced (NEMA 1)	Complete (NEMA 3R)			
Cost	\$200	\$210	\$390	\$440			
LOAD SHED DEVICES							
Model	RTSJ200A3 NEXUS LTS NEMA 3R					PPM Module	
Type	200 Amp 120/240V Load Shed ATS					50 Amp	
Cost	\$1,490					\$93	

5-YEAR MANUFACTURER EXTENDED WARRANTIES				START-UP, TESTING & TRAINING SERVICES (DFW AREA)			
Air Cooled	4-Years Full Parts & Labor, 1-Year Parts Only <i>- Extends Warranty from Date of Purchase -</i>	\$495	8 kW - 60 kW	70 kW - 150 kW	+ 150 kW & Diesel		
22 - 60 kW		\$695	1-Trip, No Corrections Required - Additional Charge of \$125 for Return Trip + Miles				
70 - 150 kW		\$995	\$375	\$475	QUOTE ONLY		
REMOTE MONITORING DEVICES				MAINTENANCE CONTRACTS (DFW AREA + MILEAGE CHARGES)			
5928	Mobile Link (Not Including Install or Cellular Service)	\$309	Interval	Air	22kW - 48kW	60kW - 150kW	Diesel
5958	Mobile Link Adapter (Liquid)	\$129	Annual	\$399	\$499 - \$699	\$799 - \$1099	QUOTE ONLY
RESI	Omni IT Monitoring Service 300/yr	\$399	Semi-Annual	\$449	\$599 - \$699	\$899 - \$999	
COMM	Omni IT Monitoring Service 300/yr	\$480	Quarterly	\$499	\$699 - \$799	\$999 - \$1099	
5621	Auxiliary Transfer Switch Contact	\$19	Monthly		\$1,335 - \$1,535	\$1,635 - \$1,935	
6016	240V EcoGen Conversion Kit	\$110	Mileage	\$1 per mile/per trip			
BATTERIES							
MT-26 (Group 26) 525 CCA		\$123	Every standby generator requires a battery to start the system. We offer the recommended Group 26, wet cell battery for use with air-cooled & liquid-cooled standby product 60kW & below, excluding the QT048, which utilizes a Group 24F. 70kW and above include a battery with the system.				
MT-24F (Group 24) 600 CCA		\$123					

To Order or for More Information, Call
800-568-3394
 For Detailed Product Information, Visit Us Online At www.entechel.com
 Shipping Charges may Apply to Non-Stock Models
 Prices and Specifications are Subject to Change Without Notice
 February 2012